Notice of Allowability	Application No. Applicant(s)		
	10/664,591	WU ET AL.	
	Examiner	Art Unit	
	CHUONG T. HO	2419	
The MAILING DATE of this communication application application application application and the communication application on the MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.37 1. This communication is responsive to 05/18/09.	S (OR REMAINS) CLOSED 5) or other appropriate comm RIGHTS. This application is	in this application. If not included nunication will be mailed in due cour	rse. THIS
2. The allowed claim(s) is/are 1,3-11,13-21,23 renumbered	1-20 respectively.		
 3. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	ve been received. ve been received in Applicat	ion No	from the
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be substituted in the substitution of the substitu	MENT of this application. mitted. Note the attached Ex	(AMINER'S AMENDMENT or NOTI	
		or decided and to delicions.	
 CORRECTED DRAWINGS (as "replacement sheets") mi (a) ☐ including changes required by the Notice of Draftspe 		ow (DTO 049) attached	
(a) ☐ including changes required by the Notice of Dranspe	=	ew (FTO-946) attached	
(b) ☐ including changes required by the attached Examine Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR	r's Amendment / Comment	the drawings in the front (not the bac	·k) of
each sheet. Replacement sheet(s) should be labeled as such in	_	• •	
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMEN 			the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08),	6. ⊠ Interview Paper No 7. ⊠ Examiner' 8. ⊠ Examiner' 9. □ Other		ıce
	/Ayaz R. She		
	Supervisory P	atent Examiner, Art Unit 2419	

Application/Control Number: 10/664,591 Page 2

Art Unit: 2419

DETAILED ACTION

1. The amendment filed 05/18/09 have been entered and made of record.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Audrey Kwan on July 24, 2009.

3. The application has been amended as follows:

IN THE SPECIFICATION

Page 15, lines 9-10, "The invention may also be embodied in a carrier wave traveling over an appropriate medium such as airwaves, optical lines, electric lines, etc " has been deleted.

IN THE CLAIMS

Claim 1 has been rewritten as follows:

A method for receiving frames at a gateway device, comprising:

receiving a frame at a metro ethernet gateway coupled to a metro ethernet

network and an external network, the frame having an outer tag value identifying

a customer site in a metro ethernet network, an inner tag value in an inner tag

Art Unit: 2419

field, an ethernet packet header, and an ethernet packet payload, wherein a first value for the inner tag field is mapped to a frame relay service, a second value for the inner tag field is mapped to an Ethernet service, and a plurality of values for the inner tag field are mapped to Asynchronous Transfer Mode (ATM) virtual circuits determining that the inner tag value identifies a service provisioned for the customer site; and

replacing the outer tag and the inner tag with one or more identifiers for transmission onto the external network;

wherein determining that the inner tag identifies a service provisioned for the customer comprises determining if the inner tag has a reserved value.

Canceled claim 2;

Claim 11 has been rewritten as follows:

A gateway device, comprising:

an external network interface coupled to an external network; a metro ethernet network interface coupled to a metro ethernet network, the interface configured to receive a frame at a metro ethernet gateway coupled to a metro ethernet network and an external network, the frame having an outer tag value identifying a customer site in a metro ethernet network, an inner tag value in an inner tag field, an ethernet packet header, and an ethernet packet payload, wherein a first value for the inner tag field is mapped to a frame relay service, a second value for the inner tag field is mapped to an Ethernet service, and a plurality of values

Art Unit: 2419

for the inner tag field are mapped to Asynchronous Transfer Mode (ATM) virtual circuits; and

a processor operable to determine that the inner tag value identifies a service provisioned for the customer site and to replace the outer tag and the inner tag with one or more identifiers for transmission onto the external network; wherein determining that the inner tag identifies a service provisioned for the customer comprises determining if the inner tag has a reserved value.

Canceled claim 12;

Claim 21 has been rewritten as follows:

for transmission onto the external network;

A network node, comprising: means for receiving a frame at a metro ethernet gateway coupled to a metro ethernet network and an external network, the frame having an outer tag value identifying a customer site in a metro ethernet network, an inner tag value in an inner tag field, an ethernet packet header, and an ethernet packet payload, wherein a first value for the inner tag field is mapped to a frame relay service, a second value for the inner tag field is mapped to an Ethernet service, and a plurality of values for the inner tag field are mapped to Asynchronous Transfer Mode (ATM) virtual circuits; means for determining that the inner tag value identifies a service provisioned for the customer site; and means for replacing the outer tag and the inner tag with one or more identifiers

Application/Control Number: 10/664,591

Art Unit: 2419

wherein determining that the inner tag identifies a service provisioned for the customer comprises determining if the inner tag has a reserved value.

Canceled claim 22;

Claim 23 has been rewritten as follows:

A computer readable medium comprising computer instruction code for receiving frames at a gateway device, the computer instruction code executed by the computer, the computer readable medium comprising:

computer code for receiving a frame at a metro ethernet gateway coupled to a metro ethernet network and an external network, the frame having an outer tag value identifying a customer site in a metro ethernet network, an inner tag value in an inner tag field, an ethernet packet header, and an ethernet packet payload, wherein a first value for the inner tag field is mapped to a frame relay service, a second value for the inner tag field is mapped to an Ethernet service, and a plurality of values for the inner tag field are mapped to Asynchronous Transfer Mode (ATM) virtual circuits;

computer instruction code for determining that the inner tag value identifies a service provisioned for the customer site; and

computer instruction code for replacing the outer tag and the inner tag with one or more identifiers for transmission onto the external network;

wherein determining that the inner tag identifies a service provisioned for the customer comprises determining if the inner tag has a reserved value.

Art Unit: 2419

Allowable Subject Matter

4. Claims 1, 3-11, 13-21, 23 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: Claims 1, 11, 21, 23 are allowed. The prior art fails to disclose wherein a first value for the inner tag field is mapped to a frame relay service, a second value for the inner tag field is mapped to an Ethernet service, and a plurality of values for the inner tag field are mapped to Asynchronous Transfer Mode (ATM) virtual circuits determining that the inner tag value identifies a service provisioned for the customer site; and replacing the outer tag and the inner tag with one or more identifiers for transmission onto the external network; wherein determining that the inner tag identifies a service provisioned for the customer comprises determining if the inner tag has a reserved value.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHUONG T. HO whose telephone number is (571)272-3133. The examiner can normally be reached on 8:00 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sheikh Ayaz can be reached on (571) 272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/664,591 Page 7

Art Unit: 2419

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chuong. T. Ho./ Examiner, Art Unit 2419

/Ayaz R. Sheikh/

Supervisory Patent Examiner, Art Unit 2419